



**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**




1. Control
2. Endura @ 2.3 oz. + Ranman @ 2.7 oz. + Silwet @ 2.0 oz. or Bravo WS @ 24 oz.
3. Endura @ 2.3 oz. + Bravo WS @ 16 oz. or Bravo WS @ 24 oz.
4. Headline @ 6.1 oz. or Endura @ 2.3 oz. + Ranman @ 2.7 oz. + Silwet @ 2.0 oz. or Acrobat @ 0.4 lb. + Bravo WS @ 16 oz. or Bravo WS @ 24 oz.
5. Quadris @ 9.2 oz. + Bravo WS @ 16 oz. or Bravo WS @ 24 oz.
6. Headline @ 6.1 oz. + Bravo WS @ 16 oz. or Bravo WS @ 24 oz.

**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**




1. Control
2. Headline @ 6.1 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
3. Headline @ 6.1 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
4. Endura @ 2.3 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
5. Endura @ 2.3 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
6. Headline @ 6.1 oz. or Endura @ 2.3 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
7. Headline @ 6.1 oz. or Endura @ 2.3 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
8. Endura @ 2.3 oz. or Headline @ 6.1 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.
9. Endura @ 2.3 oz. or Headline @ 6.1 oz. or Polyram @ 2.0 lb. or Polyram @ 2.0 lb. + SuperTin @ 2.5 oz.

**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**




1. Control
2. Polyram@2.0 lb. or Headline @6.1 oz. or Polyram@2.0 lb. + SuperTin @2.5 oz.
3. Polyram@2.0 lb. or Endura @2.3 oz. or Polyram@2.0 lb. + SuperTin @2.5 oz.
4. Polyram@2.0 lb. or Headline @9.2 oz. or Polyram@2.0 lb. + SuperTin @2.5 oz.
5. Headline @6.1 oz. or Polyram@2.0 lb. or Polyram@2.0 lb. + SuperTin @2.5 oz.
6. Headline @6.1 oz. or Bravo Ultrex @1.0 lb. or Polyram@2.0 lb. + SuperTin @2.5 oz.
7. Headline @6.1 oz. or Bravo Ultrex @1.0 lb. or Polyram@2.0 lb.
8. Polyram@2.0 lb. or Headline @6.1 oz.
9. Polyram@2.0 lb. or Quadris @6.2 oz.

**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**



1. Control
2. Bravo Ultrex @1.4 lb.
3. KQ667 @11.0 oz. ai. + KQ667 @16.5 oz. ai.
4. KQ667 @16.5 oz. ai. + KQ667 @22.0 oz. ai.
5. KP481 @3.0 oz. ai. + Manzate @12.0 oz. ai. or KP481 @4.0 oz. ai. + Manzate @18.0 oz. ai.
6. DPX-JEB74 @1.5 oz. ai. + Bravo WS @9.0 oz. ai. or DPX-JEB74 @2.0 oz. ai. + Bravo WS @12.0 oz. ai.
7. KP481 @3.0 oz. ai. + Bravo WS @9.0 oz. ai. or KP481 @4.0 oz. ai. + Bravo WS @12.0 oz. ai.
8. Bravo WS @18 oz. ai. or Quadris @1.6 oz. ai. or Curzate @2.0 oz. ai. + Bravo WS @18.0 oz. ai.

**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**



**Area Under the Disease Progress Curve for Early Blight  
2002 Fungicide Trial, Colorado State University  
San Luis Valley Research Center, Center, CO**

