

Average of Five Proso Millet Variety Trials --- Four States 2001

	Yield Cwt/A	Ht Test Wt inches	Grain H2O Sept. 3, 2001	Lodging % (2 plots)	No. Seeds / 5 grams	Heading Days from July 1		
Sunup	20.6	58.9	28	16	9	805	27	
Huntsman	20.2	58.2	31	20	11	770	31	
Sunrise	19.9	58.1	29	17.2	15	748	30	
	9217	19.7	56.4	27	14.9	23	767	28
	9213	19.5	58.3	33	28.6	34	753	31
Earlybird	19.2	57.5	30	17.1	16	752	30	
9668-16	19	57.4	31	18.5	27	742	31	
	9304	19	58.7	31	21.9	26	774	30
	9210	18.8	57.7	29	18.9	35	811	28
	9308	18.7	57	29	14.6	26	736	29
9668-6	18.7	58	31	16.1	18	812	28	
	9307	18.7	58.6	29	15.9	20	803	28
9668-17	18.4	55.1	28	14.2	29	764	27	
9668-5	18.1	57.1	29	13.8	29	767	28	
9668-10	16.8	58	31	14.7	19	793	29	
9668-1	16.3	56.7	28	13.1	27	805	27	
9239-red	15.9	58.7	34	16.3	13	825	30	
9668-18	15.8	57.4	29	15.3	39	769	29	
Dawn	15.3	56.7	26	12.2	38	786	25	
Cope	14.6	57.3	39	28	26	795	31	
436625-w	12.5	55.7	40	29.5	11	819	35	
436626-w	12.2	54.3	39	30.4	17	964	36	
9241-red	12	58.9	34	21.3	13	868	33	
Cerise-red	11.4	59.4	30	10.5	72	970	25	
436623-w	11.4	54.8	31	18.3	34	1033	35	
AVERAGE	16.9	57.4	31	18.3	25	809	30	
L.S.D. (.05)	3.2	2.3	2 *	NS		27	1	

\* Based on one replicate

Head Type  
5=loose

1.8

2.8

2.1

1.5

2.1

2

2

2.3

2.1

2

2

2

1.6

2

2.1

2.1

5

2

2

2

2.8

2.4

3.4

5

1.5

2.3

0.7