

FINAL												
PG16 BULLETIN #186@			LIVE CATTLE PUT OPTIONS							Mon, Sep 28, 2026 PG16		
INDIVIDUAL CONTRACT PRICE DATA FOR OPEN, HIGH, LOW, CLOSE AND SETTLEMENT PLUS CLEARED VOLUME FIGURES REFLECT CME REGULAR TRADING HOURS SESSION ONLY. RTH VOLUME REFLECTS PIT TRADING AND CASH-FOR-FUTURES ONLY. VOLUME OR OPEN INTEREST (BOTH BEFORE AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: CASH FOR FUTURES, SPREADS, PRIOR DAYS' CLEARED TRADES (OUT-TRADES), POSITION ADJUSTMENTS, OPTIONS EXERCISES, POSITIONS IN DELIVERY, OR POSITIONS IN A CASH SETTLEMENT CYCLE. B=BID A=ASK N=NOMINAL P=POST SETTLEMENT SESSION #=NEW CONTRACT HIGH PRICE *=NEW CONTRACT LOW PRICE R=RECORD VOL OR OPN INT. SETTLEMENT PRICE DETERMINED BY CME RULE 813. B=BID A=ASK N=NOMINAL P=POST SETTLEMENT. CAB= (CABINET TRANSACTION) - 1/2 TICK VALUE = LIVE CATTLE = \$5.00 PRODUCT LISTINGS REPRESENT CONTRACTS WITH PRICE/VOLUME ACTIVITY AND/OR HAVE ESTABLISHED OPEN INTEREST. PRODUCTS ELIGIBLE TO TRADE BUT ARE INACTIVE DO NOT APPEAR IN THIS REPORT.												
LIVE CATTLE PUTS												
STRIKE OPEN RANGE		HIGH	LOW	CLOSING RANGE		SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	VOLUME TRADES CLEARED	OPEN INTEREST	--CONTRACT--	
LV CATTLE PUT	LV CATTLE PUT	(FUTURES	SETT.	217.450	- 142.5)						HIGH	LOW
OCT26												
1160	----	----	.01A	----		CAB	----	----	----	103	UNCH	.42B .01A
1260	----	----	.01A	----		CAB	----	----	----	24	UNCH	.72B .01A
1280	----	----	.01A	----		CAB	----	----	----	23	UNCH	.82B .01A
1320	----	----	.01A	----		CAB	----	----	----	62	UNCH	1.02B .01A
1340	----	----	.01A	----		CAB	----	----	----	14	UNCH	1.12B .01A
1360	----	----	.01A	----		CAB	----	----	----	109	UNCH	1.22B .01A
1460	----	----	.01A	----		CAB	----	----	----	13	UNCH	1.97B .01A
1480	----	----	.01A	----		CAB	----	----	----	104	UNCH	2.15B .01A
1500	----	----	.01A	----		CAB	----	----	----	169	UNCH	2.37 .01A
1520	----	----	.01A	----		CAB	----	----	----	10	UNCH	2.57B .01A
1540	----	----	.01A	----		CAB	----	----	----	17	UNCH	2.75B .01A
1560	----	----	.01A	----		CAB	----	----	----	111	UNCH	2.97B .01A
1580	----	----	.01A	----		CAB	----	----	----	21	UNCH	3.25B .01A
1600	----	----	.01A	----		CAB	----	----	----	379	UNCH	4.00 .01A
1620	----	----	.01A	----		CAB	----	----	----	31	UNCH	3.92B .01A
1640	----	----	.01A	----		CAB	----	----	----	46	UNCH	4.27B .01A
1660	----	----	.01A	----		CAB	----	----	----	86	UNCH	4.67B .01A
1680	----	----	.01A	----		CAB	----	----	----	133	UNCH	5.12B .01A
1700	----	----	.01A	----		CAB	----	----	----	279	UNCH	5.65 .01A
1720	----	----	.01A	----		CAB	----	----	----	141	UNCH	6.02B .01A
1740	----	----	.01A	----		CAB	----	----	----	74	UNCH	6.55B .01A
1750	----	----	.01A	----		CAB	----	----	----	39	UNCH	.25B .01A
1760	----	----	.01A	----		CAB	----	----	----	114	UNCH	7.07B .02A
1780	----	----	.01A	----		CAB	----	----	----	194	UNCH	7.65B .02A
1790	----	----	.01A	----		CAB	----	----	----	26	UNCH	.32B .02A
1800	----	----	.01A	----		CAB	----	----	----	279	UNCH	8.30B .02A
1820	----	----	.01A	----		CAB	----	----	----	76	UNCH	8.92B .02A
1840	----	----	.01A	----		CAB	----	----	1	102 -	1 9.80B .02A	
1850	----	----	.01A	----		CAB	----	----	----	96	UNCH	.50B .02A
1860	----	----	.01A	----		CAB	----	----	----	275	UNCH	10.35B .02A
1870	----	----	.01A	----		CAB	----	----	----	35	UNCH	.57B .02A
1880	----	----	.01A	----		CAB	----	----	----	63	UNCH	11.12B .02A
1890	----	----	.01A	----		CAB	----	----	----	76	UNCH	.67B .02A
1900	0.02	.02	.01A	----		CAB	----	----	2	1017 -	2 12.12B .01	
1910	----	----	.01A	----		CAB	----	----	----	154	UNCH	.75B .05
1920	----	----	.01A	----		CAB	----	----	----	178	UNCH	12.75B .05
1930	----	----	.01A	----		CAB	----	----	----	417	UNCH	.87B .05A
1940	----	----	.01A	----		CAB	----	----	11	249	UNCH	13.62B .05
1950	----	----	.01A	----		CAB	----	----	----	198	UNCH	1.02B .05
1960	----	----	.01A	----		CAB	----	----	----	206	UNCH	14.55B .05
1970	----	----	.02A	----		CAB	----	----	----	524	UNCH	1.22B .05A
1980	----	----	.02A	----		CAB	----	----	----	365	UNCH	15.52B .05
1990	----	----	.02A	----		CAB	----	.000	----	114	UNCH	1.45B .07
2000	----	----	.02A	----		CAB	----	.000	----	3012	UNCH	17.00 .05
2010	----	----	.02A	----		CAB	----	.000	----	149	UNCH	1.82B .07A
2020	0.01	.01	.01	----		CAB	----	.000	4	1274	UNCH	17.52B .10
2030	----	----	.02A	----		CAB	----	.000	----	662	UNCH	2.32B .10A
2040	----	.01B	.05A	----		.02 UNCH	.000	----	----	1050	UNCH	18.60B .10
2050	----	.01B	.05A	----		.02 UNCH	.001	----	----	1505	UNCH	2.92B .07
2060	----	.01B	.05A	----		.02 UNCH	.003	----	----	797	UNCH	19.65B .15A
2070	----	.02B	.05A	----		.02 -	2 .007	----	----	435	UNCH	3.67B .15
2080	----	.02B	.05A	----		.05 UNCH	.015	----	1	1028 +	1 20.87B .15	
2090	----	.05B	.07A	----		.05 -	2 .016	----	----	1976	UNCH	4.57 .20
2100	0.10	.10	.05	----		.07 UNCH	.026	----	75	6041 -	62 22.05B .27	
2110	0.07	.10	.07	----		.10 -	2 .038	----	117	1614 +	57 5.50B .35A	
2120	0.10	.15B	.10	----		.17 +	2 .067	----	27	1220 -	2 23.27B .40	
2130	0.27	.27	.17A	----		.27 +	5 .107	----	14	760 -	14 6.65B .50A	
2140	0.25	.42	.22	----		.42 +	10 .164	----	65	1515 -	24 24.52B .60	
2150	0.37	.62B	.35	----		.62 +	15 .238	----	34	1719 +	5 7.87B .75A	
2160	0.60	.92	.47A	----		.90 +	20 .331	----	21	1568 -	12 25.85B .90A	
2170	0.77	1.30B	.67A	----		1.30 +	30 .444	----	16	3827 +	3 9.27B 1.10A	
2180	1.15	1.80B	.97A	----		1.80 +	42 .561	----	749	2036 +	309 26.87B 1.25A	
2190	1.70	2.42B	1.37A	----		2.40 +	57 .674	----	18	1545 -	8 10.80B 1.37A	
2200	2.40	3.12B	1.87A	----		3.12 +	72 .770	----	664	4103 -	108 28.25B 1.47A	
2210	----	3.90B	2.47A	----		3.92 +	87 .845	----	----	873	UNCH	12.42B 1.57A
2220	3.50	4.82B	3.20A	----		4.82 +	105 .891	----	116	1661 -	114 29.70B 1.70A	
2230	----	5.67B	3.97A	----		5.75 +	117 .924	----	----	445	UNCH	14.12B 1.85A
2240	5.20	6.67B	4.82A	----		6.70 +	125 .946	----	155	1880 -	43 31.15B 1.97A	
2250	7.47	7.60B	5.72A	----		7.65 +	130 .965	----	2	516	UNCH	15.90B 2.15A
2260	8.17	8.60B	6.67A	----		8.62 +	132 .975	----	59	1906 -	40 32.65B 2.32	
2270	----	9.62B	7.62A	----		9.60 +	135 .977	----	----	1635	UNCH	17.75B 2.50A
2280	9.22	10.55B	8.62A	----		10.60 +	137 .985	----	8	2102 -	1 34.20B 2.67A	
2290	11.15	11.55B	9.60A	----		11.60 +	140 .986	----	4	232 +	4 19.65B 2.87A	
2300	10.90	12.60B	10.60A	----		12.57 +	137 .993	----	7	3972 -	3 35.77B 3.10A	
2310	----	13.55B	11.57A	----		13.57 +	140 .996	----	----	453	UNCH	21.55B 3.32A
2320	12.75	14.52B	12.57A	----		14.57 +	140 .997	----	26	1863 -	21 37.37B 3.57A	
2330	----	15.57B	13.57A	----		15.57 +	140 .998	----	----	323	UNCH	23.50B 3.85A
2340	15.87	16.52B	14.57A	----		16.57 +	142 .999	----	6	1560 -	5 39.02B 4.12	
2350	15.72	17.55B	15.55A	----		17.57 +	142 .999	----	19	710 +	15 25.47B 4.42A	
2360	18.25	18.52B	16.55A	----		18.55 +	140 .999	----	9	1343 -	1 39.05B 4.72A	
2370	----	19.52B	17.55A	----		19.55 +	140 .999	----	----	85	UNCH	27.42B 5.05A
2380	18.75	20.52B	18.55A	----		20.55 +	140 1.000	----	5	1530 -	3 40.67B 5.40A	
2390	----	21.52B	19.55A	----		21.55 +	140 1.000	48	----	505 -	48 29.40B 5.77A	
2400	22.00	22.52B	20.55A	----		22.55 +	140 1.000	151	10	2232 -	161 42.35B 6.17A	
2410	----	23.52B	21.55A	----		23.55 +	140 1.000	----	----	71	UNCH	31.40B 6.57A
2420	----	24.52B	22.55A	----		24.55 +	140 1.000	31	6	768 -	25 44.05B 7.00	
2430	----	25.50B	23.57A	----		25.55 +	140 1.000	----	----	8	UNCH	33.37B 7.50A
2440	25.20	26.52B	24.55A	----		26.55 +	140 1.000	----	4	410	UNCH	45.77B 7.90



FINAL

PG16	BULLETIN #186@	LIVE CATTLE PUT OPTIONS	Mon, Sep 28, 2026	PG16
------	----------------	-------------------------	-------------------	------

(FUTURES SETT. .00)											
1830	----	.02B	.05A	----	.05	UNCH	.007	----	----	6	UNCH .90B .10A
1840	----	.02B	.07A	----	.05	UNCH	.007	----	----	43	UNCH .97B .10A
1850	----	.05B	.07A	----	.05	UNCH	.008	----	----	21	UNCH 1.05B .10A
1860	----	.05B	.07A	----	.05	UNCH	.008	----	1	1 -	1 1.12B .12A
1870	----	.05B	.07A	----	.05 -	2	.008	----	----	33	UNCH 1.22B .12A
1880	----	.05B	.07A	----	.05 -	2	.008	----	----	39	UNCH 1.32B .12A
1890	----	.07B	.10A	----	.07	UNCH	.012	----	----	104	UNCH 1.42B .15A
1900	----	.07B	.10A	----	.07 -	2	.012	----	----	98	UNCH 1.52B .15A
1910	----	.10B	.10A	----	.10	UNCH	.016	----	----	62	UNCH 1.62B .17A
1920	0.10	.10	.10	----	.10	UNCH	.016	----	10	165 +	10 1.75B .20A
1930	0.12	.12	.12	----	.12	UNCH	.020	----	4	226 +	3 1.87B .22A
1940	----	.15B	.15A	----	.15	UNCH	.024	----	----	171	UNCH 2.00B .25A
1950	----	.17B	.15A	----	.17	UNCH	.028	----	2	31 -	2 2.15B .27A
1960	----	.20B	.17A	----	.20 +	2	.032	----	----	76	UNCH 2.30B .27A
1970	----	.22B	.20A	----	.22 +	2	.036	----	----	26	UNCH 2.47B .32A
1980	----	.25B	.22A	----	.25 +	2	.040	----	1	26 -	1 2.65B .35A
1990	----	.30B	.25A	----	.30 +	5	.047	----	----	24	UNCH 2.82B .40A
2000	0.30	.35B	.30	----	.35 +	5	.054	----	2	900 +	2 3.02B .42
2010	0.35	.40B	.32A	----	.40 +	5	.061	----	2	8 +	1 3.25B .47A
2020	0.42	.45B	.37A	----	.45 +	5	.069	----	2	31	UNCH 3.47B .50
2030	----	.52B	.42A	----	.52 +	5	.079	----	----	35	UNCH 3.70B .60
2040	----	.60B	.47A	----	.60 +	7	.090	----	----	66	UNCH 3.95B .67A
2050	----	.70B	.55A	----	.67 +	5	.100	----	5	101 -	1 4.25B .75A
2060	----	.80B	.62A	----	.77 +	7	.114	----	----	26	UNCH 4.50B .82A
2070	----	.92B	.72A	----	.90 +	10	.129	----	----	71	UNCH 4.95B .90A
2080	----	1.07B	.82A	----	1.02 +	12	.145	----	20	141 +	20 5.32B 1.02A
2090	----	1.25B	.95A	----	1.17 +	15	.163	----	----	32	UNCH 5.72B 1.15A
2100	1.27	1.40B	1.07A	----	1.32 +	15	.182	----	6	912 -	1 6.17B 1.27A
2110	1.25	1.62B	1.22A	----	1.50 +	17	.202	----	10	154 +	5 6.62B 1.40A
2120	1.80	1.82B	1.37A	----	1.72 +	22	.226	----	1	134 +	1 7.10B 1.57A
2130	1.92	2.07B	1.57A	----	1.95 +	25	.250	----	10	85 +	8 7.60B 1.72
2140	----	2.35B	1.77A	----	2.20 +	27	.276	----	----	148	UNCH 8.10B 1.92A
2150	2.17	2.65B	2.02A	----	2.47 +	30	.304	----	8	385 +	1 8.65B 2.10A
2160	2.37	2.97B	2.27A	----	2.80 +	35	.333	----	103	235 +	87 9.20B 2.25A
2170	2.90	3.32B	2.57A	----	3.12 +	37	.363	----	5	229 +	4 9.80B 2.40A
2180	3.27	3.72B	2.87A	----	3.50 +	42	.395	----	2	211 +	2 10.42B 2.60A
2190	----	4.15B	3.22A	----	3.90 +	45	.428	----	----	245	UNCH 10.97B 2.77A
2200	4.02	4.60B	3.62A	----	4.32 +	47	.462	----	47	407 +	17 11.67B 2.97A
2210	4.80	5.10B	4.02A	----	4.77 +	50	.496	----	11	83 -	1 12.32B 3.17A
2220	4.95	5.62B	4.47A	----	5.30 +	57	.530	----	2	80 +	1 13.05B 3.42A
2230	----	6.20B	4.97A	----	5.82 +	62	.565	----	----	25	UNCH 13.75B 3.67A
2240	6.30	6.77B	5.50A	----	6.42 +	70	.599	----	3	49 +	1 14.52B 3.92A
2250	6.30	7.42B	6.05A	----	7.02 +	72	.632	----	4	18 +	4 15.35B 4.17A
2260	6.90	8.10B	6.62A	----	7.67 +	80	.665	----	7	38 +	5 16.17B 4.47A
2270	----	8.80B	7.25A	----	8.37 +	85	.695	----	----	26	UNCH 16.90B 4.80A
2280	8.20	9.52B	7.92A	----	9.10 +	92	.724	----	2	70 +	2 17.82B 5.15A
2290	9.52	10.25B	8.67A	----	9.85 +	97	.752	----	2	13 +	2 18.67B 5.47A
2300	----	11.05B	9.40A	----	10.62 +	102	.778	----	----	8	UNCH 19.55B 5.87A
2310	----	11.82B	10.12A	----	11.42 +	105	.803	----	----	19	UNCH 20.42B 6.25A
2320	----	12.72B	10.92A	----	12.25 +	110	.825	----	----	17	UNCH 21.22B 6.65A
2330	----	13.55B	11.80A	----	13.10 +	112	.843	----	----	6	UNCH 22.15B 7.07A
2340	----	14.47B	12.67A	----	13.97 +	115	.863	----	----	2	UNCH 23.15B 7.50A
2350	----	15.35B	13.47A	----	14.85 +	117	.879	----	----	6	UNCH 24.07B 7.95A
2370	----	17.20B	15.27A	----	16.67 +	120	.906	----	----	1	UNCH 25.95B 8.90A
2380	----	18.12B	16.15A	----	17.60 +	122	.917	----	----	14	UNCH 26.82B 9.40A
2390	----	19.02B	17.17A	----	18.52 +	122	.929	----	----	3	UNCH 27.75B 9.92A
2400	----	19.97B	18.00A	----	19.47 +	122	.938	----	----	3	UNCH 28.72B 10.45A
2420	----	21.90B	20.00A	----	21.40 +	127	.951	----	----	2	UNCH 30.75B 11.65A
2430	----	22.92B	20.90A	----	22.35 +	127	.956	----	----	3	UNCH 31.70B 12.27A
2460	----	25.85B	23.92A	----	25.27 +	130	.970	----	----	1	UNCH 34.62B 14.25A
2480	----	27.80B	25.70A	----	27.25 +	132	.979	----	----	3	UNCH 36.57B 15.67A
2500	----	29.80B	27.70A	----	29.22 +	132	.984	----	----	1	UNCH 38.47B 17.15A
2510	----	30.75B	28.67A	----	30.22 +	135	.984	----	----	1	UNCH 39.55B 17.92A
2520	----	31.77B	29.70A	----	31.22 +	135	.985	----	----	1	UNCH 40.47B 18.72A
2530	----	32.75B	30.77A	----	32.20 +	132	.985	----	----	1	UNCH 41.47B 19.52A
TOTAL											
DEC26		(FUTURES SETT. 220.800 - 135.0)								272	6375 + 169
1000	----	----	.01A	----	----	CAB	----	----	----	360	UNCH .20B .01A
1380	----	----	.01A	----	----	CAB	----	----	----	1	UNCH 1.60B .02A
1400	----	----	.02A	----	----	CAB	----	.000	----	70	UNCH 1.75B .02A
1480	----	----	.02A	----	----	CAB	----	.000	----	17	UNCH 2.45B .02A
1520	----	----	.02A	----	----	CAB	----	.000	----	17	UNCH 2.65B .02A
1560	----	----	.02A	----	.02	UNCH	.000	----	----	25	UNCH 3.15B .05A
1580	----	----	.05A	----	.02	UNCH	.000	----	----	34	UNCH 3.45B .05A
1600	----	.01B	.05A	----	.02	UNCH	.001	----	----	24	UNCH 3.75B .05A
1620	----	.01B	.05A	----	.02	UNCH	.001	----	----	19	UNCH 4.10B .05A
1640	----	.02B	.05A	----	.02 -	2	.002	----	----	24	UNCH 4.47B .05A
1650	----	.02B	.05A	----	.02 -	2	.002	----	----	37	UNCH .22B .07A
1660	----	.02B	.05A	----	.02 -	2	.003	----	----	46	UNCH 4.87B .07A
1670	----	.02B	.05A	----	.05	UNCH	.005	----	----	16	UNCH .27B .07A
1680	----	.02B	.05A	----	.05	UNCH	.005	----	----	106	UNCH 5.30B .07A
1700	----	.02B	.07A	----	.05	UNCH	.006	----	----	89	UNCH 5.75B .07A
1720	----	.05B	.07A	----	.07	UNCH	.008	----	----	44	UNCH 6.25B .10A
1740	----	.05B	.10A	----	.07	UNCH	.009	----	----	159	UNCH 6.77B .10A
1750	----	.07B	.10A	----	.07	UNCH	.009	----	----	10	UNCH .50B .10
1760	----	.07B	.10A	----	.10	UNCH	.011	----	----	183	UNCH 7.35B .12A
1770	----	.07B	.10A	----	.10	UNCH	.012	----	----	25	UNCH .60B .12A
1780	0.10	.10	.10	----	.10	UNCH	.012	----	1	120	UNCH 7.92B .15A
1790	0.10	.10	.10	----	.10 -	2	.012	----	20	44 +	20 .70B .15A
1800	----	.12B	.12A	----	.15 +	2	.017	----	----	201	UNCH 8.90 .17A
1810	----	.12B	.15A	----	.15 +	2	.017	----	----	47	UNCH .82B .17A
1820	----	.15B	.15A	----	.15	UNCH	.018	----	----	289	UNCH 9.22B .20A
1830	----	.15B	.17A	----	.15	UNCH	.018	----	----	18	UNCH .95B .22A
1840	----	.17B	.17A	----	.17	UNCH	.021	----	----	183	UNCH 10.50 .22A
1850	----	.20B	.20A	----	.20	UNCH</					

FINAL														
PG16 BULLETIN #186@				LIVE CATTLE PUT OPTIONS								Mon, Sep 28, 2026		PG16
(FUTURES SETT. 220.800 - 135.0)														
2140	3.25	3.70B	3.00	----	3.52 +	35	.320	----	11	1851 +	5	24.65B	1.77A	
2150	3.52	4.05B	3.30A	----	3.85 +	37	.342	----	35	894 -	4	9.72B	3.20A	
2160	3.55	4.40B	3.55	----	4.20 +	40	.366	----	167	3538 -	65	25.92B	2.00A	
2170	4.35	4.80B	3.95A	----	4.55 +	42	.389	----	4	385 -	4	10.85B	3.77A	
2180	4.90	5.22B	4.30A	----	4.95 +	45	.414	----	5	3656 +	4	27.22B	2.25A	
2190	5.57	5.65B	4.67A	----	5.37 +	50	.439	----	8	382 +	8	12.05B	4.40A	
2200	5.17	6.12B	5.07A	----	5.82 +	52	.465	----	279	5303 +	241	28.57B	2.55A	
2210	5.70	6.60B	5.50A	----	6.27 +	55	.491	----	27	143 +	12	13.32B	5.12A	
2220	6.17	7.12	5.97A	----	6.77 +	60	.517	----	44	3531 -	6	29.97B	2.92A	
2230	7.27	7.65B	6.45A	----	7.30 +	62	.543	----	1	197 +	1	14.65B	5.90A	
2240	----	8.22B	6.95A	----	7.87 +	67	.569	----	----	2242	UNCH	31.40B	3.32A	
2250	----	8.80B	7.47A	----	8.45 +	72	.594	----	----	68	UNCH	16.12B	6.70A	
2260	----	9.42B	8.05A	----	9.05 +	75	.620	----	----	2491	UNCH	32.85B	3.75A	
2270	----	10.02B	8.65A	----	9.67 +	77	.645	----	----	1	UNCH	17.62B	7.57A	
2280	9.65	10.75B	9.25	----	10.35 +	85	.668	----	3	857 +	1	34.35B	4.22A	
2290	----	11.40B	9.90A	----	11.02 +	87	.692	----	----	5	UNCH	19.25B	8.55A	
2300	----	12.15B	10.55A	----	11.75 +	92	.715	----	----	2440	UNCH	35.90B	4.80A	
2310	----	12.85B	11.27A	----	12.47 +	95	.737	----	----	12	UNCH	20.85B	9.57A	
2320	----	13.65B	11.97A	----	13.22 +	97	.757	----	----	2380	UNCH	37.47B	5.37A	
2330	----	14.40B	12.72A	----	14.02 +	102	.777	----	----	1	UNCH	22.55B	10.70A	
2340	----	15.25B	13.47A	----	14.82 +	105	.794	----	----	1526	UNCH	39.07B	6.02A	
2350	----	16.07B	14.27A	----	15.62 +	107	.813	----	----	49	UNCH	24.42B	11.90A	
2360	15.57	16.92B	15.07A	----	16.47 +	112	.829	----	4	2355	UNCH	40.72B	6.70A	
2370	----	17.75B	16.00A	----	17.32 +	112	.844	----	----	4	UNCH	26.22B	13.27A	
2380	----	18.67B	16.77A	----	18.20 +	117	.858	----	----	2959	UNCH	31.42B	7.45A	
2390	----	19.52B	17.62A	----	19.07 +	117	.870	----	----	2	UNCH	28.02B	14.62A	
2400	----	20.47B	18.50A	----	19.97 +	120	.883	----	----	2826	UNCH	32.57B	8.25A	
2420	----	22.30B	20.30A	----	21.77 +	122	.902	----	----	281	UNCH	34.20B	9.00A	
2440	----	24.17B	22.12A	----	23.65 +	127	.920	----	----	383	UNCH	35.85B	9.80A	
2450	----	25.07B	23.07A	----	24.57 +	125	.927	----	----	1	UNCH	33.77B	19.20A	
2460	----	26.07B	23.97A	----	25.52 +	127	.933	----	----	183	UNCH	37.52B	10.65A	
2470	----	27.00B	25.00A	----	26.47 +	127	.940	----	----	4	UNCH	35.70B	20.90A	
2480	----	27.97B	25.87A	----	27.45 +	130	.946	----	----	38	UNCH	39.25B	11.60A	
2490	----	28.90B	26.92A	----	28.40 +	127	.950	----	----	1	UNCH	37.62B	22.60A	
2500	28.77	29.92B	27.80A	----	29.37 +	130	.954	----	4	101	UNCH	41.00B	12.57A	
2520	----	31.87B	29.72A	----	31.32 +	130	.961	----	----	90	UNCH	42.77B	13.67A	
2530	----	32.82B	30.72A	----	32.30 +	130	.965	----	----	4	UNCH	41.52B	26.20A	
2540	31.87	33.85B	31.70A	----	33.30 +	132	.968	----	12	123 +	12	44.60B	14.85A	
2550	----	34.72B	32.72A	----	34.27 +	132	.972	----	----	4	UNCH	43.50B	28.02A	
2560	----	35.82B	33.65A	----	35.25 +	132	.972	----	----	97	UNCH	46.42B	16.05A	
2570	----	36.77B	34.70A	----	36.25 +	132	.976	----	----	5	UNCH	45.52B	29.90A	
2580	36.95	37.77B	35.62A	----	37.22 +	132	.976	----	4	50 +	4	48.25B	17.35A	
2600	----	39.77B	37.67A	----	39.22 +	135	.980	----	----	6	UNCH	50.12B	18.67A	
2620	----	41.75B	39.65A	----	41.20 +	132	.984	----	----	10	UNCH	52.00B	20.12A	
2640	----	43.72B	41.67A	----	43.20 +	135	.984	----	----	6	UNCH	53.90B	21.60A	
2650	----	44.70B	42.65A	----	44.20 +	135	.984	----	----	1	UNCH	53.47B	37.62A	
2660	----	45.70B	43.67A	----	45.20 +	135	.988	----	----	9	UNCH	55.80B	23.12A	
2680	----	47.75B	45.75A	----	47.20 +	135	.988	----	----	1	UNCH	57.72B	24.72A	
2700	----	49.77B	47.57A	----	49.20 +	135	.988	----	----	283	UNCH	59.67B	26.37A	
2740	----	53.72B	51.65A	----	53.20 +	135	.992	----	----	2	UNCH	63.60B	29.80A	
2780	----	57.72B	55.75A	----	57.20 +	135	.992	----	----	4	UNCH	67.60B	33.30A	
TOTAL									1897	84936 -	260			
JAN27		(FUTURES SETT. .00)												
1700	----	.07B	.10A	----	.10	UNCH	.010	----	----	1	UNCH	.22B	.12A	
1720	0.10	.10	.10	----	.12	UNCH	.012	----	1	1 +	1	.27B	.15A	
1740	----	.12B	.15A	----	.12	UNCH	.013	----	16	16 +	16	.32B	.17A	
1840	----	.30B	.30A	----	.30	UNCH	.030	----	----	5	UNCH	.75B	.37A	
1900	----	.50B	.45A	----	.50 +	2	.050	----	----	1	UNCH	1.17B	.57A	
1920	----	.60B	.55A	----	.60 +	2	.059	----	----	6	UNCH	1.37B	.65A	
1940	----	.72B	.62A	----	.72 +	5	.070	----	----	4	UNCH	1.57B	.77A	
2000	----	1.22B	1.05A	----	1.22 +	12	.113	----	----	51	UNCH	2.50B	1.25A	
2010	----	1.35B	1.15A	----	1.32 +	12	.122	----	----	2	UNCH	2.67B	1.35A	
2050	----	1.90B	1.60A	----	1.85 +	17	.164	----	----	13	UNCH	3.57B	1.85A	
2060	----	2.07B	1.75A	----	2.02 +	20	.177	----	----	1	UNCH	3.82B	1.97A	
2070	----	2.25B	1.90A	----	2.20 +	20	.190	----	----	24	UNCH	4.12B	2.17A	
2110	----	3.15B	2.62A	----	3.02 +	25	.248	----	----	15	UNCH	5.40B	2.80A	
2120	----	3.40B	2.82A	----	3.27 +	27	.265	----	----	32	UNCH	5.75B	3.00A	
2140	3.85	3.97B	3.32A	----	3.82 +	32	.300	----	2	7 +	2	6.52B	3.47A	
2180	----	5.35B	4.52A	----	5.15 +	42	.377	----	----	3	UNCH	8.32B	4.60A	
2190	----	5.75B	4.87A	----	5.55 +	45	.398	----	----	1	UNCH	8.82B	4.92A	
2200	----	6.17B	5.22A	----	5.95 +	47	.419	----	----	55	UNCH	9.35B	5.27A	
2210	----	6.60B	5.62A	----	6.37 +	50	.441	----	----	15	UNCH	9.90B	5.62A	
2220	----	7.05B	6.02A	----	6.82 +	55	.462	----	----	1	UNCH	10.47B	6.00A	
2230	7.40	7.55B	6.45A	----	7.30 +	NEW	.484	----	7	7 +	7	11.05B	6.40A	
2240	----	8.02B	6.90A	----	7.80 +	62	.506	----	----	3	UNCH	11.67B	6.80A	
2260	----	9.10B	7.95A	----	8.85 +	67	.550	----	----	1	UNCH	12.95B	7.67A	
2280	----	10.27B	9.02A	----	10.02 +	77	.594	----	----	1	UNCH	14.32B	8.70A	
2310	----	12.15B	10.77A	----	11.92 +	90	.657	----	----	1	UNCH	16.47B	10.32A	
2370	----	16.50B	14.92A	----	16.27 +	107	.767	----	----	1	UNCH	21.25B	14.15A	
2720	49.15	49.35B	47.40A	----	49.05 +	NEW	.983	----	3	3 +	3	54.72B	45.55A	
TOTAL									29	271 +	29			
FEB27		(FUTURES SETT. 222.950 - 135.0)								</				



FINAL



PG16 BULLETIN #186@				LIVE CATTLE PUT OPTIONS				Mon, Sep 28, 2026 PG16					
				(FUTURES SETT. 222.950 - 135.0)									
2300	----	12.60B	11.17A	----	12.35 +	85	.613	----	----	3572	UNCH	20.17B	5.85A
2320	----	13.87B	12.37A	----	13.62 +	90	.648	----	----	521	UNCH	21.65B	6.42A
2340	----	15.22B	13.65A	----	14.95 +	95	.683	----	----	313	UNCH	23.22B	7.12A
2360	----	16.62B	15.00A	----	16.37 +	100	.717	----	----	777	UNCH	24.82B	7.80A
2380	----	18.12B	16.42A	----	17.85 +	105	.748	----	----	651	UNCH	26.55	8.50A
2400	----	19.70B	17.92A	----	19.40 +	110	.776	----	----	1239	UNCH	28.25B	9.00
2420	----	21.30B	19.47A	----	21.00 +	112	.803	----	----	304	UNCH	30.02B	10.00A
2440	----	22.95B	21.10A	----	22.67 +	117	.827	----	----	203	UNCH	31.82B	10.87A
2480	----	26.35B	24.52A	----	26.12 +	122	.867	----	----	3	UNCH	35.52B	12.45A
2500	----	28.30B	26.25A	----	27.92 +	125	.884	----	----	17	UNCH	37.32B	13.47A
2600	----	37.62B	35.62A	----	37.30 +	130	.941	----	----	12	UNCH	47.05B	19.47A
2620	----	39.52B	37.55A	----	39.25 +	132	.948	----	----	6	UNCH	49.00B	20.82A
2680	----	45.50B	43.45A	----	45.12 +	135	.965	----	----	1	UNCH	54.92B	25.30A
2700	----	47.45B	45.30A	----	47.10 +	135	.968	----	----	485	UNCH	57.05B	26.90A
TOTAL										886			
APR27		(FUTURES SETT. 224.775 - 105.0)								39789 +		134	
1400	----	.02B	.07A	----	.05	UNCH	.003	----	----	3	UNCH	.52B	.07
1440	----	.05B	.07A	----	.05	UNCH	.003	----	----	31	UNCH	.60B	.07A
1460	----	.05B	.07A	----	.07	UNCH	.005	----	----	2	UNCH	.67B	.10A
1500	----	.07B	.10A	----	.07	UNCH	.005	----	----	87	UNCH	.77B	.12A
1520	----	.07B	.12A	----	.10	UNCH	.007	----	----	11	UNCH	.85B	.12A
1540	----	.10B	.12A	----	.10	UNCH	.007	----	----	15	UNCH	.92B	.12A
1560	----	.12B	.15A	----	.12	UNCH	.009	----	----	2	UNCH	1.00B	.15A
1580	----	.12B	.15A	----	.15	UNCH	.011	----	----	6	UNCH	1.07B	.17A
1600	----	.15B	.17A	----	.17	UNCH	.013	----	----	22	UNCH	1.17B	.17A
1620	----	.17B	.20A	----	.20 +	2	.014	----	----	13	UNCH	1.27B	.22A
1640	----	.20B	.22A	----	.22 +	2	.016	----	----	3	UNCH	1.37B	.22A
1660	----	.25B	.25A	----	.25	UNCH	.018	----	----	2	UNCH	1.50B	.27A
1680	----	.30B	.27A	----	.27	UNCH	.020	----	----	1	UNCH	1.62B	.30A
1700	----	.32B	.32A	----	.32	UNCH	.024	----	----	24	UNCH	3.50	.30
1720	----	.37B	.35A	----	.37 +	2	.027	----	----	45	UNCH	2.10	.35A
1740	----	.45B	.40A	----	.42 +	2	.031	----	----	119	UNCH	2.07B	.37
1780	----	.57B	.52A	----	.55 +	2	.040	----	----	1	UNCH	2.45B	.47A
1800	----	.65B	.60A	----	.65 +	2	.047	----	----	1144	UNCH	2.72B	.52A
1820	0.75	.75	.67A	----	.72 +	2	.052	----	3	74	UNCH	2.97B	.60A
1840	----	.85B	.77A	----	.82 +	2	.059	----	----	175	UNCH	3.25B	.65A
1860	----	.97B	.90A	----	.95 +	2	.067	----	----	140	UNCH	3.55B	.72A
1880	1.05	1.12B	1.02A	----	1.10 +	5	.077	----	8	89 -	8	3.87B	.80A
1900	----	1.27B	1.15A	----	1.25 +	5	.087	----	----	312	UNCH	4.20B	.87A
1920	----	1.45B	1.30A	----	1.45 +	10	.099	----	----	168	UNCH	4.57B	.97A
1940	1.57	1.65B	1.50A	----	1.65 +	10	.111	----	1	260 +	1	4.97B	1.07A
1960	----	1.87B	1.70A	----	1.87 +	12	.124	----	----	782	UNCH	5.37B	1.20A
1980	----	2.15B	1.92A	----	2.15 +	15	.140	----	----	290	UNCH	5.85B	1.32A
2000	2.17	2.47B	2.17	----	2.45 +	17	.157	----	3	2202	UNCH	6.30B	1.45A
2020	----	2.80B	2.47A	----	2.77 +	17	.175	----	----	313	UNCH	6.82B	1.60A
2040	----	3.20B	2.82A	----	3.15 +	22	.194	----	----	1892	UNCH	7.35B	1.87A
2060	3.65	3.65	3.20A	----	3.57 +	25	.216	----	15	1245 +	15	7.92B	2.07A
2080	3.62	4.10B	3.62	----	4.02 +	25	.238	----	65	541 -	23	8.30B	2.22A
2100	4.10	4.62B	4.07	----	4.55 +	30	.263	----	24	2654 +	8	9.10B	2.47A
2120	5.00	5.20B	4.60A	----	5.12 +	32	.288	----	14	303 -	7	9.97B	2.72A
2140	----	5.82B	5.17A	----	5.72 +	32	.315	----	1	415 +	1	10.85B	3.05A
2160	----	6.50B	5.80A	----	6.40 +	35	.343	----	----	1300	UNCH	11.82B	3.35A
2180	----	7.25B	6.50A	----	7.12 +	37	.372	----	----	1423	UNCH	15.60B	3.70A
2200	7.45	8.05B	7.22A	----	7.92 +	42	.402	----	17	4543 +	16	13.87B	4.10A
2220	8.20	8.92B	8.02A	----	8.77 +	45	.433	----	1	964	UNCH	14.97B	4.52A
2240	9.80	9.85	8.87A	----	9.67 +	50	.465	----	15	1602 +	7	16.15B	5.00A
2260	9.77	10.82B	9.77	----	10.65 +	55	.496	----	27	717 +	25	17.37B	5.50A
2280	----	11.85B	10.75A	----	11.67 +	57	.528	----	----	555	UNCH	18.65B	6.05A
2300	----	12.95B	11.80A	----	12.77 +	62	.560	----	----	907	UNCH	19.97B	6.65A
2320	----	14.10B	12.90A	----	13.92 +	67	.592	----	----	344	UNCH	21.37B	7.27A
2340	----	15.32B	14.05A	----	15.15 +	70	.623	----	----	309	UNCH	22.67B	7.97A
2360	15.30	16.60B	15.27A	----	16.42 +	72	.653	----	1	917 +	1	24.30B	8.70A
2380	----	17.97B	16.57A	----	17.77 +	77	.682	----	----	428	UNCH	25.82B	9.45A
2400	----	19.37B	17.92A	----	19.17 +	80	.710	----	----	594	UNCH	27.42B	10.27A
2420	----	20.82B	19.35A	----	20.65 +	85	.736	----	----	87	UNCH	29.10B	11.17A
2440	----	22.35B	20.82A	----	22.15 +	85	.762	----	----	18	UNCH	30.75B	12.22A
2500	----	27.25B	25.60A	----	27.02 +	92	.827	----	----	20	UNCH	35.97B	15.05A
2540	----	30.72B	29.00A	----	30.47 +	95	.861	----	----	150	UNCH	39.82B	17.20A
2560	----	32.52B	30.77A	----	32.25 +	95	.876	----	----	300	UNCH	41.57B	18.35A
2600	----	36.20B	34.40A	----	35.90 +	97	.900	----	----	101	UNCH	45.37B	20.85A
TOTAL										195			
JUN27		(FUTURES SETT. 219.875 - 85.0)								28665 +		36	
1020	----	----	.05A	----	CAB	----	.000	----	----	299	UNCH	.10	.02A
1320	----	.05B	.10A	----	.05	UNCH	.003	----	----	1	UNCH	.25B	.10
1360	----	.05B	.10A	----	.07	UNCH	.005	----	----	10	UNCH	.32B	.12A
1380	----	.07B	.12A	----	.10	UNCH	.006	----	----	72	UNCH	.35B	.12A
1400	----	.07B	.12A	----	.10	UNCH	.006	----	----	5	UNCH	.40B	.12
1420	----	.10B	.15A	----	.12	UNCH	.008	----	----	21	UNCH	.45B	.15
1440	----	.10B	.15A	----	.12	UNCH	.008	----	----	4	UNCH	.50B	.17A
1460	----	.12B	.17A	----	.15	UNCH	.010	----	----	5	UNCH	.57B	.17A
1480	----	.15B	.20A	----	.17	UNCH	.011	----	----	5	UNCH	.65B	.20A
1500	----	.17B	.20A	----	.20	UNCH	.013	----	----	4	UNCH	.72B	.22A
1520	----	.20B	.25A	----	.22	UNCH	.015	----	----	5	UNCH	.80B	.25A
1560	----	.25B	.30A	----	.27	UNCH	.018	----	----	3	UNCH	1.00B	.30A
1580	----	.30B	.32A	----	.32	UNCH	.021	----	----	2	UNCH	1.10B	.32A
1600	----	.35B	.37A	----	.35 -	2	.023	----	----	38	UNCH	1.22B	.37A
1640	----	.45B</											

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

PG16 BULLETIN #186@ LIVE CATTLE PUT OPTIONS Mon, Sep 28, 2026 PG16

(FUTURES SETT. 219.875 - 85.0)												
2500	----	32.17B	30.92A	----	31.75 +	67	.840	----	----	150	UNCH	41.60B 20.45A
TOTAL									184	8223 +	81	
AUG27		(FUTURES SETT. 216.650 - 70.0)										
1160	----	.02B	.07A	----	.05	UNCH	.002	----	----	136	UNCH	.15B .07A
1280	----	.07B	.12A	----	.07 -	2	.004	----	----	1	UNCH	.30B .15A
1300	----	.07B	.12A	----	.10	UNCH	.006	----	----	5	UNCH	.32B .15
1340	----	.10B	.17A	----	.12 -	2	.007	----	----	10	UNCH	.42B .17A
1360	----	.12B	.17A	----	.15	UNCH	.009	----	----	1	UNCH	.47B .20A
1380	----	.15B	.20A	----	.17	UNCH	.010	----	----	2	UNCH	.52B .22A
1400	----	.17B	.22A	----	.17 -	2	.010	----	----	1	UNCH	.57B .25A
1420	----	.17B	.25A	----	.20 -	2	.012	----	----	11	UNCH	.65B .27A
1600	----	.62B	.65A	----	.62	UNCH	.037	----	----	4	UNCH	1.70 .72A
1700	----	1.15B	1.15A	----	1.15 +	2	.065	----	----	17	UNCH	2.65B 1.05
1720	----	1.30B	1.30A	----	1.30 +	2	.073	----	----	13	UNCH	2.90B 1.37A
1740	----	1.45B	1.45A	----	1.47 +	2	.082	----	----	2	UNCH	3.20B 1.50A
1760	----	1.62B	1.62A	----	1.65 +	2	.091	----	----	2	UNCH	3.52B 1.77A
1780	----	1.75B	1.80A	----	1.85 +	2	.101	----	----	41	UNCH	3.90B 2.00A
1800	----	1.97B	2.15A	----	2.07 +	2	.111	----	----	48	UNCH	5.70 2.32A
1820	----	2.20B	2.40A	----	2.32 +	5	.123	----	----	11	UNCH	4.75B 2.55A
1840	----	2.47B	2.67A	----	2.60 +	5	.136	----	----	37	UNCH	5.25B 2.50A
1860	----	2.87B	2.97A	----	2.90 +	5	.149	----	----	17	UNCH	5.77B 2.72A
1880	----	3.25B	3.30A	----	3.22 +	2	.164	----	----	1	UNCH	6.32B 3.00A
1900	----	3.62B	3.67A	----	3.60 +	5	.180	----	10	291 +	10	7.20 3.27A
1920	----	4.05B	4.07A	----	4.00 +	5	.196	----	----	3	UNCH	7.60B 3.60A
1940	----	4.50B	4.40A	----	4.42 +	5	.214	----	----	98	UNCH	8.27B 3.92A
1960	----	5.00B	4.87A	----	4.90 +	7	.232	----	----	7	UNCH	9.02B 4.10A
1980	----	5.52B	5.37A	----	5.40 +	5	.252	----	----	6	UNCH	9.80B 4.72A
2000	----	6.07B	5.92A	----	5.95 +	7	.272	----	----	217	UNCH	10.80 5.17A
2020	----	6.70B	6.50A	----	6.55 +	7	.293	----	----	4	UNCH	11.47B 5.65A
2040	----	7.35B	7.15A	----	7.20 +	10	.316	----	----	51	UNCH	12.37B 6.15A
2060	----	8.05B	7.80A	----	7.87 +	10	.338	----	----	160	UNCH	13.95 6.72A
2080	----	8.80B	8.50A	----	8.62 +	15	.362	----	----	373	UNCH	14.30B 7.30A
2100	----	9.60B	9.27A	----	9.40 +	15	.386	----	10	461 +	10	15.30B 7.95A
2120	----	10.42B	10.05A	----	10.22 +	17	.411	----	----	132	UNCH	16.52B 8.62A
2140	----	11.25B	10.90A	----	11.10 +	20	.437	----	----	370	UNCH	17.45B 9.32A
2160	----	12.17B	11.77A	----	12.05 +	25	.462	----	----	201	UNCH	18.57B 10.07A
2180	----	13.15B	12.72A	----	13.02 +	27	.488	----	----	67	UNCH	19.77B 10.87A
2200	14.00	14.15B	13.70A	----	14.05 +	30	.514	----	72	92 +	72	21.00B 11.72A
2220	----	15.20B	14.80A	----	15.12 +	35	.540	----	----	2	UNCH	22.27B 12.60A
2240	----	16.30B	15.90A	----	16.25 +	37	.565	----	----	1	UNCH	23.62B 13.50A
2260	----	17.45B	17.02A	----	17.42 +	40	.590	----	----	17	UNCH	25.02B 14.45A
2280	----	18.67B	18.17A	----	18.62 +	40	.615	----	----	2	UNCH	26.45B 15.45A
2300	----	19.92B	19.40A	----	19.90 +	42	.639	----	----	14	UNCH	26.70B 13.55
2320	----	21.25B	20.67A	----	21.20 +	45	.663	----	----	9	UNCH	28.25B 14.00
TOTAL									92	2938 +	92	
OCT27		(FUTURES SETT. 215.175 - 62.5)										
1600	----	.90B	.92A	----	.87 -	2	.047	----	----	4	UNCH	1.35B .97A
1700	----	1.60B	1.60A	----	1.57 -	2	.081	----	----	44	UNCH	3.12 1.00
1740	----	1.85B	1.97A	----	1.95 -	7	.099	----	----	40	UNCH	2.87B 2.05A
1800	----	2.57B	2.87A	----	2.70 -	12	.132	----	----	3	UNCH	3.97B 2.95A
1900	----	4.60B	4.77A	----	4.50 -	20	.204	----	----	57	UNCH	8.17B 4.80A
1920	----	5.07B	5.22A	----	4.97 -	17	.221	----	----	5	UNCH	7.42B 5.25A
1940	----	5.60B	5.75A	----	5.47 -	15	.239	----	----	50	UNCH	7.12B 5.75A
1960	----	6.15B	6.30A	----	6.00 -	12	.257	----	----	1	UNCH	7.75B 6.27A
2000	----	7.35B	7.50A	----	7.20 -	5	.297	----	----	69	UNCH	11.27B 7.00
2020	----	8.02B	8.17A	----	7.87 +	2	.318	----	----	22	UNCH	10.67 8.10A
2040	----	8.72B	8.87A	----	8.57 +	7	.339	----	----	2	UNCH	11.62B 8.80A
2060	----	9.47B	9.52A	----	9.32 +	10	.361	----	----	131	UNCH	14.37 9.00
2080	10.05	10.25B	10.05	----	10.10 +	12	.384	----	4	146 +	4	14.47 9.90
2100	----	11.07B	11.27A	----	10.95 +	15	.407	----	----	30	UNCH	14.42B 10.52
2120	----	11.95B	12.05A	----	11.80 +	15	.430	----	----	24	UNCH	15.45B 11.70A
2140	----	12.45B	13.05A	----	12.72 +	15	.454	----	----	124	UNCH	16.50B 12.82A
2160	----	13.40B	14.02A	----	13.67 +	15	.478	----	----	29	UNCH	18.40 13.75A
2200	----	15.37B	16.05A	----	15.67 +	12	.526	----	----	4	UNCH	19.95B 15.75A
2220	----	16.42B	17.12A	----	16.75 +	12	.551	----	----	1	UNCH	21.22B 16.80A
2280	----	19.87B	20.60A	----	20.20 +	12	.622	----	----	1	UNCH	25.35B 20.20A
TOTAL									4	787 +	4	
DEC27		(FUTURES SETT. 215.550 - 77.5)										
1760	----	----	----	----	2.97 +	7	.128	----	----	6	UNCH	----
1800	----	----	----	----	3.57 +	7	.151	----	----	1	UNCH	----
1880	----	----	----	----	5.15 +	12	.205	----	----	22	UNCH	7.00 7.00
1900	----	----	----	----	5.60 +	12	.220	----	----	31	UNCH	7.00B 4.70A
1960	----	----	----	----	7.20 +	15	.270	----	----	4	UNCH	----
2000	----	----	----	----	8.45 +	20	.306	----	----	6	UNCH	9.25B 8.00
2060	----	----	----	----	10.55 +	22	.364	----	----	6	UNCH	----
2080	----	----	----	----	11.30 +	22	.384	----	----	22	UNCH	16.00 16.00
2100	----	----	----	----	12.10 +	25	.405	----	----	25	UNCH	10.75 8.75
2160	----	----	----	----	14.70 +	30	.470	----	----	1	UNCH	17.30 14.25
TOTAL									0	124		
FEB28		(FUTURES SETT. 215.600 - 57.5)										
1560	----	----	----	----	1.55 +	2	.064	----	----	7	UNCH	----
1860	----	----	----	----	5.47 +	7	.202	----	----	14	UNCH	----
1900	----	----	----	----	6.42 +	10	.231	----	----	6	UNCH	7.50B 5.00
2000	----	----	----	----	9.32 +	12	.312	----	----	7	UNCH	9.07 9.00
2120	----	----	----	----	13.90 +	20	.426	----	----	5	UNCH	----
2160	----	----	----	----	15.67 +	20	.467	----	----	7	UNCH	----
TOTAL									0	46		
APR28		(FUTURES SETT. 215.775 - 57.5)										
1900	----	----	----	----	7.07 +	10	.238	----	----	6	UNCH	7.50B 7.50
2000	----	----	----	----	10.02 +	12	.316	----	----	3	UNCH	10.00B 10.00
TOTAL									0	9		

OPTIONS E00'S, BLOCKS and EXERCISES

PRODUCT	STRIKE PRICE	E00 VOLUME	BLOCK VOLUME	M-T-B BLOCK VOLUME	OPTION EXERCISES	M-T-B OPTION EXERCISES	Transfer VOLUME
LV CATTLE CALL	LIVE CATTLE OPTIONS						
OCT26	CALL						
OK	1900	----	----	----	----	2	0.00
OK	1950	----	----	----	----	3	0.00
OK	1960	----	----	----	----	4	0.00
OK	1970	----	----	----	----	1	0.00
OK	1980	----	----	----	1	1	0.00
OK	1990	----	----	----	1	1	0.00
OK	2000	----	----	----	2	2	0.00
OK	2160	----	----	200	----	----	0.00
OK	2300	----	----	200	----	----	0.00
TOTALS		0	0	400	4	14	0
DEC26	CALL						
OK	2200	----	----	100	----	----	0.00
OK	2330	----	----	400	----	----	0.00
TOTALS		0	0	500	0	0	0
FEB27	CALL						

FINAL									
PG16 BULLETIN #186@			LIVE CATTLE PUT OPTIONS					Mon, Sep 28, 2026	PG16
OK		2200	----	----	400	----	----	0.00	
TOTALS			0	0	400	0	0	0	
JUN27 CALL									
OK		2300	----	----	200	----	----	0.00	
TOTALS			0	0	200	0	0	0	
LV CATTLE PUT LIVE CATTLE OPTIONS									
OCT26 PUT									
OK		2380	----	----	----	----	38	0.00	
OK		2390	----	----	----	48	48	0.00	
OK		2400	----	----	----	151	184	0.00	
OK		2420	----	----	----	31	36	0.00	
OK		2430	----	----	----	----	2	0.00	
OK		2450	----	----	----	----	1	0.00	
OK		2500	----	----	----	----	33	0.00	
OK		2520	----	----	----	----	1	0.00	
OK		2560	----	----	----	----	6	0.00	
OK		2600	----	----	----	----	5	0.00	
TOTALS			0	0	0	230	354	0	
DEC26 PUT									
OK		2110	----	----	300	----	----	0.00	
OK		2150	----	----	200	----	----	0.00	
OK		2740	----	----	----	----	13	0.00	
TOTALS			0	0	500	0	13	0	
FEB27 PUT									
OK		2100	----	----	400	----	----	0.00	
TOTALS			0	0	400	0	0	0	