

FINAL														
PG17 BULLETIN #186@				FEEDER CATTLE CALL OPTIONS						Mon, Sep 28, 2026 PG17				
INDIVIDUAL CONTRACT PRICE DATA FOR OPEN, HIGH, LOW, CLOSE AND SETTLEMENT PLUS CLEARED VOLUME FIGURES REFLECT CME REGULAR TRADING HOURS SESSION ONLY. RTH VOLUME REFLECTS PIT TRADING AND CASH-FOR-FUTURES ONLY. VOLUME OR OPEN INTEREST (BOTH BEFORE AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: CASH FOR FUTURES, SPREADS, PRIOR DAYS' CLEARED TRADES (OUT-TRADES), POSITION ADJUSTMENTS, OPTIONS EXERCISES, POSITIONS IN DELIVERY, OR POSITIONS IN A CASH SETTLEMENT CYCLE. B=BID A=ASK N=NOMINAL P=POST SETTLEMENT SESSION #=NEW CONTRACT HIGH PRICE *=NEW CONTRACT LOW PRICE R=RECORD VOL OR OPN INT. SETTLEMENT PRICE DETERMINED BY CME RULE 813. B=BID A=ASK N=NOMINAL P=POST SETTLEMENT. CAB= (CABINET TRANSACTION) - 1/2 TICK VALUE = \$6.25 PRODUCT LISTINGS REPRESENT CONTRACTS WITH PRICE/VOLUME ACTIVITY AND/OR HAVE ESTABLISHED OPEN INTEREST. PRODUCTS ELIGIBLE TO TRADE BUT ARE INACTIVE DO NOT APPEAR IN THIS REPORT.														
FEEDER CATTLE CONTRACTS LAST TRADE DATES														



FINAL

PG17 BULLETIN #186@				FEEDER CATTLE CALL OPTIONS				Mon, Sep 28, 2026 PG17					
				(FUTURES SETT. 331.900 - 302.5)									
3790	----	.07B	.12A	----	.12 +	2	.015	----	----	8	UNCH	9.12B	.15A
3800	----	.07B	.12A	----	.12 +	5	.015	----	----	857	UNCH	14.62B	.12A
3810	----	.07B	.12A	----	.10 +	2	.012	----	----	15	UNCH	8.10B	.12A
3820	----	.05B	.12A	----	.10 +	2	.012	----	----	65	UNCH	13.55B	.12A
3830	----	.05B	.12A	----	.10 +	2	.012	----	----	31	UNCH	7.37B	.12A
3840	----	.05B	.10A	----	.10 +	2	.012	----	----	227	UNCH	12.72B	.12A
3850	----	.05B	.10A	----	.10 +	2	.012	----	----	35	UNCH	6.80B	.12A
3860	----	.05B	.10A	----	.10 +	2	.012	----	----	43	UNCH	11.82B	.12A
3870	----	.05B	.10A	----	.07 +	2	.009	----	----	16	UNCH	6.07B	.12A
3880	----	.05B	.10A	----	.07 +	2	.009	----	----	21	UNCH	10.92B	.10A
3890	----	.05B	.10A	----	.07 +	2	.009	----	----	12	UNCH	5.40B	.10A
3900	----	.05B	.10A	----	.07 +	2	.009	----	----	431	UNCH	16.20	.10A
3910	----	.05B	.10A	----	.07 +	2	.008	----	----	50	UNCH	1.87B	.10A
3920	----	.05B	.10A	----	.07 +	2	.008	----	----	158	UNCH	16.00	.10A
3930	----	.02B	.10A	----	.07 +	2	.008	----	----	3	UNCH	4.37B	.10A
3940	----	.02B	.10A	----	.07 +	2	.008	----	----	35	UNCH	18.77B	.10A
3950	----	.02B	.10A	----	.07 +	2	.008	----	----	13	UNCH	3.80B	.10A
3960	----	.02B	.10A	----	.05	UNCH	.006	----	----	67	UNCH	8.07B	.10A
3970	----	.02B	.10A	----	.05	UNCH	.005	----	----	6	UNCH	3.50B	.10A
3980	----	.02B	.10A	----	.05	UNCH	.005	----	----	11	UNCH	17.70	.10A
3990	----	.02B	.07A	----	.05	UNCH	.005	----	----	11	UNCH	3.10B	.10A
4000	----	.05B	.07A	----	.05	UNCH	.005	----	----	801	UNCH	6.97	.07
4010	----	.02B	.07A	----	.05	UNCH	.005	----	----	8	UNCH	2.77B	.10A
4020	----	.02B	.07A	----	.05	UNCH	.005	----	----	7	UNCH	6.20B	.10A
4030	----	.02B	.07A	----	.05	UNCH	.005	----	----	4	UNCH	2.40B	.10A
4040	----	.02B	.07A	----	.05	UNCH	.005	----	----	9	UNCH	5.67B	.10A
4050	----	.02B	.07A	----	.05	UNCH	.005	----	----	22	UNCH	2.15B	.10A
4060	----	.02B	.07A	----	.05	UNCH	.005	----	----	66	UNCH	5.35B	.07A
4070	----	.02B	.07A	----	.05	UNCH	.005	----	----	4	UNCH	1.90B	.07A
4080	----	.02B	.07A	----	.05	UNCH	.005	----	----	28	UNCH	5.05B	.07A
4090	----	.02B	.07A	----	.05	UNCH	.005	----	----	7	UNCH	1.70B	.07A
4100	----	.02B	.07A	----	.05	UNCH	.005	----	----	339	UNCH	4.77B	.07A
4120	----	.02B	.07A	----	.05	UNCH	.005	----	----	17	UNCH	4.52B	.07A
4130	----	.02B	.07A	----	.05	UNCH	.005	----	----	12	UNCH	1.40B	.07A
4140	----	.02B	.07A	----	.05	UNCH	.005	----	----	22	UNCH	4.27B	.07A
4150	----	.02B	.07A	----	.05	UNCH	.004	----	----	11	UNCH	1.27B	.07A
4160	----	.02B	.07A	----	.05	UNCH	.004	----	----	80	UNCH	4.05B	.07A
4170	----	.02B	.07A	----	.05	UNCH	.004	----	----	6	UNCH	1.17B	.07A
4180	----	.02B	.07A	----	.05	UNCH	.004	----	----	22	UNCH	3.82B	.07A
4190	----	.02B	.07A	----	.05	UNCH	.004	----	----	4	UNCH	1.08B	.07A
4200	----	.02B	.05A	----	.05	UNCH	.004	----	----	39	UNCH	3.62B	.07A
4220	----	.02B	.05A	----	.05	UNCH	.004	----	----	1	UNCH	3.42B	.07A
4240	----	.02B	.05A	----	.05	UNCH	.004	----	----	22	UNCH	3.25B	.07A
4270	----	.01B	.05A	----	.05	UNCH	.004	----	----	2	UNCH	.82B	.07A
4280	----	.01B	.05A	----	.05	UNCH	.004	----	----	5	UNCH	2.92B	.07A
4300	----	.01B	.07A	----	.05	UNCH	.004	----	----	319	UNCH	2.77B	.07A
4320	----	.01B	.07A	----	.05	UNCH	.004	----	----	17	UNCH	2.62B	.07A
4330	----	.01B	.07A	----	.05	UNCH	.004	----	----	2	UNCH	.67B	.07A
4340	----	.01B	.07A	----	.05	UNCH	.004	----	----	14	UNCH	2.47B	.07A
4350	----	.01B	.07A	----	.05	UNCH	.004	----	----	2	UNCH	.62B	.05A
4360	----	.01B	.07A	----	.05	UNCH	.004	----	----	17	UNCH	2.35B	.05A
4370	----	.01B	.07A	----	.05	UNCH	.004	----	----	2	UNCH	.57B	.05A
4380	----	.01B	.07A	----	.05	UNCH	.004	----	----	25	UNCH	2.25B	.05A
4400	----	.01B	.07A	----	.05	UNCH	.004	----	----	126	UNCH	2.12B	.05A
4420	----	.01B	.07A	----	.05	UNCH	.004	----	----	2	UNCH	2.02B	.05A
4440	----	.01B	.07A	----	.05	UNCH	.004	----	----	34	UNCH	1.92B	.05A
4460	----	.01B	.07A	----	.05	UNCH	.003	----	----	30	UNCH	1.82B	.05A
4480	----	.01B	.07A	----	.05	UNCH	.003	----	----	12	UNCH	1.75B	.05A
4490	----	.01B	.07A	----	.05	UNCH	.003	----	----	27	UNCH	.27B	.05A
4500	----	.01B	.07A	----	.05	UNCH	.003	----	----	12	UNCH	1.65B	.05A
4520	----	.01B	.07A	----	.05	UNCH	.003	----	----	22	UNCH	1.57B	.05A
4560	----	.01B	.05A	----	.05	UNCH	.003	----	----	7	UNCH	1.45B	.05A
4580	----	.01B	.05A	----	.05	UNCH	.003	----	----	5	UNCH	1.37B	.05A
4590	----	.01B	.05A	----	.05	UNCH	.003	----	----	115	UNCH	.15B	.05
4600	----	.01B	.05A	----	.05	UNCH	.003	----	----	11	UNCH	1.30B	.05A
4620	----	.01B	.05A	----	.05	UNCH	.003	----	----	74	UNCH	1.25B	.05A
4640	----	----	.05A	----	.05	UNCH	.003	----	----	66	UNCH	1.20B	.05A
4660	----	----	.05A	----	.05	UNCH	.003	----	----	1	UNCH	1.15B	.05A
4680	----	----	.05A	----	.05	UNCH	.003	----	----	18	UNCH	1.10B	.05A
4700	----	----	.05A	----	.05	UNCH	.003	----	----	520	UNCH	1.05B	.05
4720	----	----	.05A	----	.05	UNCH	.003	----	----	9	UNCH	1.00B	.05A
4800	----	----	.05A	----	.02 -	2	.001	----	----	54	UNCH	.85B	.05A
4840	----	----	.05A	----	.02 -	2	.001	----	----	31	UNCH	.80B	.05A
4880	----	----	.05A	----	.02	UNCH	.001	----	----	31	UNCH	.75B	.05A
4980	----	----	.05A	----	.02	UNCH	.001	----	----	1	UNCH	.62B	.05A
5120	----	----	.05A	----	CAB	----	.000	----	----	1	UNCH	.52B	.05A
5320	----	----	.05A	----	CAB	----	.000	----	----	15	UNCH	.40B	.05A
TOTAL								524	15322 -	58			
NOV26		(FUTURES SETT. 329.275 - 270.0)											
2540	----	79.45B	75.32A	----	75.27 -	270	.995	----	----	3	UNCH	117.57B	50.92A
2700	----	63.57B	59.35A	----	59.30 -	267	.988	----	----	1	UNCH	102.30B	35.90A
2750	----	58.57B	54.25A	----	54.32 -	270	.984	----	----	3	UNCH	57.95B	32.87A
2810	----	52.62B	48.35A	----	48.42 -	267	.975	----	----	1	UNCH	52.20B	27.80A
2820	----	51.55B	47.40A	----	47.45 -	265	.973	----	----	1	UNCH	50.57B	25.75A
2830	----	50.67B	46.42A	----	46.45 -	267	.971	----	----	2	UNCH	50.22B	26.17A
2840	----	49.67B	45.60A	----	45.47 -	267	.968	----	----	1	UNCH	88.67B	24.20A
2910	----	42.85B	38.67A	----	38.72 -	265	.948	----	----	2	UNCH	42.50B	20.07A
2920	----	41.80B	37.75A	----	37.77 -	265	.944	----	----	3	UNCH	80.97B	18.35A
2930	----	40.92B	36.92A	----	36.82 -	265	.940	----	----	3	UNCH	40.72B	18.67A
2940	----	39.95B	35.87A	----	35.90 -	262	.936	----	----	2	UNCH	79.10B	17.02A
2970	----	37.02B	33.07A	----	33.10 -	260	.920	----	----	6	UNCH	37.02B	1

FINAL													
PG17 BULLETIN #186@				FEEDER CATTLE CALL OPTIONS				Mon, Sep 28, 2026 PG17					
				(FUTURES SETT.	329.275 -	270.0)							
3640	0.90		.97B	.75	----	.72 -	17	.072	----	5	130 +	4	22.35B .42A
3660	----		.82B	.65A	----	.62 -	15	.063	----	----	134	UNCH	21.15B .40A
3670	----		.77B	.62A	----	.57 -	12	.058	----	----	7	UNCH	1.15B .35A
3680	----		.70B	.57A	----	.55 -	10	.056	----	----	57	UNCH	20.00B .35A
3690	----		.65B	.55A	----	.50 -	10	.051	----	----	10	UNCH	1.00B .32A
3700	0.52		.60B	.50A	----	.47 -	10	.049	----	2	555	UNCH	18.97B .30A
3710	----		.55B	.47A	----	.42 -	10	.044	----	----	10	UNCH	.90B .30A
3720	----		.50B	.45A	----	.40 -	10	.042	----	----	67	UNCH	17.80B .27A
3730	----		.47B	.42A	----	.37 -	7	.039	----	----	20	UNCH	.80B .27A
3740	----		.42B	.40A	----	.35 -	7	.037	----	----	277	UNCH	16.82B .27
3750	----		.40B	.37A	----	.32 -	7	.034	----	----	17	UNCH	.72B .25A
3760	----		.37B	.35A	----	.30 -	7	.032	----	----	157	UNCH	15.82B .25A
3780	----		.32B	.30A	----	.27 -	5	.029	----	----	90	UNCH	14.82B .22A
3800	----		.27B	.25A	----	.25 -	5	.026	----	----	586	UNCH	13.90B .20A
3820	----		.25B	.25A	----	.22 -	2	.023	----	----	103	UNCH	13.00B .20A
3840	----		.22B	.22A	----	.20 -	2	.021	----	----	44	UNCH	11.97B .17A
3860	----		.20B	.20A	----	.17 -	2	.018	----	----	34	UNCH	11.20B .17A
3870	----		.17B	.20A	----	.17	UNCH	.018	----	----	21	UNCH	.40
3880	----		.17B	.20A	----	.17	UNCH	.018	----	----	69	UNCH	10.52B .15A
3900	----		.15B	.20A	----	.15	UNCH	.015	----	----	558	UNCH	9.72B .15
3920	----		.15B	.17A	----	.15	UNCH	.015	----	----	6	UNCH	8.95B .15A
3940	----		.12B	.17A	----	.12	UNCH	.013	----	----	44	UNCH	8.27B .12A
3960	----		.10B	.15A	----	.12	UNCH	.012	----	----	46	UNCH	7.72B .12A
3980	----		.10B	.15A	----	.12 +	2	.012	----	----	23	UNCH	7.17B .12A
4000	0.12		.15	.12	----	.10 +	2	.010	----	410	769 +	395	6.60B .10A
4020	----		.07B	.12A	----	.10 +	2	.010	----	----	6	UNCH	5.97B .10A
4040	----		.07B	.12A	----	.10 +	2	.009	----	----	1	UNCH	5.57B .10A
4060	----		.07B	.12A	----	.10 +	2	.009	----	----	1	UNCH	5.27B .10A
4080	----		.07B	.12A	----	.07	UNCH	.007	----	----	35	UNCH	5.00B .10A
4100	----		.07B	.10A	----	.07	UNCH	.007	----	----	127	UNCH	4.72B .07A
4120	----		.05B	.10A	----	.07	UNCH	.007	----	----	16	UNCH	4.47B .07A
4140	----		.05B	.10A	----	.07	UNCH	.007	----	----	78	UNCH	4.25B .07A
4160	----		.05B	.10A	----	.07	UNCH	.007	----	----	12	UNCH	4.02B .07A
4180	----		.05B	.10A	----	.07	UNCH	.006	----	----	41	UNCH	3.82B .07A
4200	----		.05B	.10A	----	.07	UNCH	.006	----	----	210	UNCH	3.62B .07A
4220	----		.05B	.10A	----	.05	UNCH	.004	----	----	10	UNCH	3.42B .05A
4240	----		.05B	.10A	----	.05	UNCH	.004	----	----	117	UNCH	3.25B .05A
4280	----		.02B	.10A	----	.05	UNCH	.004	----	----	7	UNCH	2.92B .05A
4300	----		.02B	.10A	----	.05	UNCH	.004	----	----	70	UNCH	2.77B .05A
4340	----		.02B	.07A	----	.05	UNCH	.004	----	----	6	UNCH	2.50B .05A
4360	----		.02B	.07A	----	.05	UNCH	.004	----	----	11	UNCH	2.40B .05A
4380	----		.02B	.07A	----	.05	UNCH	.004	----	----	11	UNCH	2.27B .05A
4400	----		.02B	.07A	----	.05	UNCH	.004	----	----	16	UNCH	2.15B .05A
4420	----		.02B	.07A	----	.05	UNCH	.004	----	----	26	UNCH	2.05B .05A
4480	----		.02B	.07A	----	.05	UNCH	.004	----	----	46	UNCH	1.77B .05A
4500	----		.02B	.07A	----	.05	UNCH	.004	----	----	2	UNCH	1.70B .05A
4520	----		.02B	.07A	----	.05 +	2	.003	----	----	38	UNCH	1.62B .05A
4560	----		.02B	.07A	----	.05 +	2	.003	----	----	15	UNCH	1.47B .05A
4580	----		.02B	.07A	----	.05 +	2	.003	----	----	20	UNCH	1.40B .05A
4600	----		.02B	.07A	----	.05 +	2	.003	----	----	56	UNCH	1.35B .05
4660	----		.02B	.07A	----	.05 +	2	.003	----	----	16	UNCH	1.17B .05A
4740	----		.01B	.07A	----	.05 +	2	.003	----	----	1	UNCH	1.00B .05A
4760	----		.01B	.07A	----	.02	UNCH	.001	----	----	1	UNCH	.97B .05A
4780	----		.01B	.07A	----	.02	UNCH	.001	----	----	16	UNCH	.92B .05A
4840	----		.01B	.07A	----	.02	UNCH	.001	----	----	1	UNCH	.82B .05A
5000	----		.01B	.05A	----	CAB	----	.000	----	----	5	UNCH	.62B .05A
5020	----		.01B	.05A	----	CAB	----	.000	----	----	5	UNCH	.60B .05A
5100	----		----	.05A	----	CAB	----	.000	----	----	13	UNCH	.55B .05A
5120	----		----	.05A	----	CAB	----	.000	----	----	9	UNCH	.52B .05A
TOTAL													
JAN27			(FUTURES SETT.	321.975 -	237.5)								
2700	----		56.77B	53.00A	----	52.90 -	225	.929	----	----	1	UNCH	96.17B 32.22A
2740	----		53.05B	49.17A	----	49.20 -	222	.916	----	----	1	UNCH	92.37B 29.20A
2760	----		51.15B	47.47A	----	47.37 -	220	.908	----	----	1	UNCH	90.35B 27.75A
2800	----		47.47B	43.77A	----	43.77 -	217	.890	----	----	1	UNCH	86.65B 24.97A
2820	----		45.67B	41.97A	----	42.02 -	215	.880	----	----	1	UNCH	84.72B 23.72A
2840	----		43.92B	40.27A	----	40.27 -	212	.869	----	----	1	UNCH	82.85B 22.20A
2860	----		42.15B	38.52A	----	38.57 -	210	.857	----	----	1	UNCH	80.97B 20.97A
2880	----		40.40B	36.82A	----	36.87 -	207	.845	----	5	UNCH	79.12B 19.80A	
2900	----		38.62B	35.22A	----	35.22 -	205	.831	----	----	1	UNCH	77.25B 18.65A
2920	----		36.97B	33.60A	----	33.60 -	200	.817	----	----	1	UNCH	75.32B 17.55A
2940	----		35.15B	31.95A	----	31.95 -	197	.802	----	----	3	UNCH	73.57B 16.50A
2960	----		33.67B	30.42A	----	30.42 -	195	.787	----	----	1	UNCH	71.72B 15.45A
2980	----		32.12B	28.85A	----	28.90 -	190	.770	----	----	12	UNCH	69.92B 14.47A
3000	----		30.65B	27.27A	----	27.40 -	187	.753	----	----	68	UNCH	68.12B 13.52A
3020	----		29.12B	25.82A	----	25.95 -	182	.735	----	----	31	UNCH	66.27B 12.60A
3040	----		27.60B	24.42A	----	24.52 -	177	.716	----	2	33 -	2	64.57B 11.72A
3060	----		26.15B	23.05A	----	23.12 -	172	.696	----	----	32	UNCH	62.80B 10.92A
3080	----		24.62B	21.72A	----	21.80 -	167	.676	----	----	19	UNCH	61.07B 10.15A
3100	----		23.32B	20.42A	----	20.47 -	162	.656	----	----	177	UNCH	59.30B 9.35A
3120	----		21.97B	19.15A	----	19.22 -	157	.634	----	----	51	UNCH	57.57B 8.65A
3140	----		20.65B	17.95A	----	18.00 -	150	.612	----	----	71	UNCH	55.87B 7.97A
3160	----		19.37B	16.77A	----	16.82 -	145	.590	----	----	58	UNCH	54.20B 7.32A
3180	----		18.15B	15.65A	----	15.70 -	137	.567	----	4	84 +	4	52.50B 6.72A
3200	15.20		16.97B	14.55A	----	14.62 -	130	.544	----	2	301	UNCH	50.82B 6.10A
3220	15.87		15.87	13.52A	----	13.60 -	122	.520	----	1	142	UNCH	49.27B 5.62A
3230	----		15.22B	13.02A	----	13.10 -	120	.508	----	----	12	UNCH	-----
3240	----		14.70B	12.52A	----	12.60 -	117	.497	----	----	66	UNCH	47.60B 5.20A
3250	13.22		14.15B	12.									

FINAL													
PG17 BULLETIN #186@				FEEDER CATTLE CALL OPTIONS						Mon, Sep 28, 2026 PG17			
				(FUTURES SETT. 318.250 - 192.5)									
3060	----	25.70B	23.25A	----	23.27 -	125	.640	----	----	51	UNCH	53.35B	12.10A
3080	----	24.35B	22.05A	----	22.05 -	122	.622	----	----	1	UNCH	51.62B	11.35A
3100	----	23.10B	20.87A	----	20.87 -	120	.604	----	----	10	UNCH	49.95B	10.60A
3120	----	21.87B	19.72A	----	19.75 -	112	.585	----	----	1	UNCH	47.67B	9.87A
3140	----	20.77B	18.62A	----	18.62 -	110	.566	----	----	79	UNCH	46.12B	9.20A
3160	----	19.62B	17.55A	----	17.55 -	105	.547	----	----	159	UNCH	45.00B	8.55A
3180	----	18.47B	16.52A	----	16.52 -	100	.527	----	----	205	UNCH	42.82B	7.95A
3200	----	17.42B	15.50A	----	15.52 -	95	.508	----	----	71	UNCH	41.32B	7.37A
3220	----	16.40B	14.52A	----	14.57 -	87	.488	----	----	37	UNCH	39.77B	6.85A
3240	----	15.40B	13.62A	----	13.65 -	85	.469	----	15	65 +	6	38.27B	6.32A
3260	----	14.42B	12.75A	----	12.77 -	77	.449	----	----	42	UNCH	36.67B	5.85A
3280	----	13.50B	11.90A	----	11.92 -	75	.430	----	----	17	UNCH	35.30B	5.42A
3300	----	12.60B	11.10A	----	11.12 -	70	.410	----	----	252	UNCH	33.82B	5.00A
3320	----	11.75B	10.35A	----	10.35 -	67	.391	----	----	5	UNCH	32.40B	4.72A
3340	----	10.95B	9.62A	----	9.65 -	60	.373	----	----	6	UNCH	30.90B	4.40A
3360	----	10.17B	8.92A	----	8.95 -	57	.354	----	----	69	UNCH	29.62B	3.97A
3380	----	9.45B	8.30A	----	8.30 -	52	.336	----	----	167	UNCH	31.65B	3.75A
3400	----	8.75B	7.67A	----	7.70 -	47	.318	----	----	561	UNCH	30.37B	3.50A
3420	----	8.10B	7.10A	----	7.12 -	45	.301	----	----	16	UNCH	29.12B	3.20A
3440	----	7.47B	6.57A	----	6.60 -	40	.284	----	15	31 +	15	27.90B	2.92A
3460	----	6.92B	6.05A	----	6.10 -	37	.268	----	1	163 -	1	26.70B	2.75A
3480	----	6.37B	5.57A	----	5.62 -	35	.253	----	----	253	UNCH	25.50B	2.52A
3500	----	5.87B	5.15A	----	5.20 -	30	.238	----	2	403 -	1	23.60	2.50A
3520	----	5.40B	4.75A	----	4.77 -	30	.223	----	----	14	UNCH	23.22B	2.17A
3540	----	5.00B	4.37A	----	4.40 -	27	.209	----	----	45	UNCH	22.10B	2.02A
3560	----	4.57B	4.07A	----	4.05 -	25	.196	----	----	9	UNCH	21.02B	1.87A
3580	----	4.17B	3.77A	----	3.72 -	22	.183	----	----	12	UNCH	19.97B	1.75A
3600	3.62	3.87B	3.47A	----	3.42 -	20	.171	----	1	67 +	1	18.95B	1.62A
3620	----	3.55B	3.20A	----	3.15 -	20	.160	----	1	12 +	1	20.00	1.52A
3640	----	3.25B	2.95A	----	2.90 -	17	.150	----	----	9	UNCH	16.97B	1.42A
3660	----	3.00B	2.72A	----	2.67 -	15	.140	----	----	3	UNCH	16.02B	1.35A
3680	2.57	2.75B	2.50A	----	2.45 -	15	.130	----	6	13 +	6	15.12B	1.25A
3700	----	2.52B	2.32A	----	2.27 -	12	.122	----	----	43	UNCH	14.22B	1.17A
3740	----	2.12B	1.97A	----	1.92 -	10	.106	----	20	32 +	14	12.55B	1.05A
3760	----	1.97B	1.82A	----	1.77 -	10	.099	----	----	17	UNCH	11.77B	.97A
3780	----	1.82B	1.67A	----	1.65 -	7	.092	----	----	1	UNCH	11.02B	.92A
3800	----	1.65B	1.55A	----	1.52 -	7	.086	----	----	29	UNCH	10.32B	.87A
3840	----	1.40B	1.35A	----	1.30 -	7	.075	----	----	13	UNCH	9.00B	.77A
3860	----	1.30B	1.27A	----	1.22 -	5	.071	----	----	9	UNCH	8.40B	.72A
3900	----	1.12B	1.10A	----	1.05 -	5	.062	----	----	9	UNCH	7.27B	.65A
3920	1.05	1.05	1.02A	----	1.00 -	2	.059	----	1	9	UNCH	6.77B	.62A
4000	----	.77B	.80A	----	.75 -	2	.045	----	----	41	UNCH	5.07B	.50A
4040	----	.67B	.70A	----	.67 -	2	.040	----	----	4	UNCH	4.40B	.45A
4300	----	.32B	.40A	----	.32 -	2	.020	----	----	60	UNCH	2.00B	.27A
4320	----	.30B	.37A	----	.32 -	2	.019	----	----	54	UNCH	1.87B	.27A
4360	----	.27B	.35A	----	.30 -	2	.018	----	----	1	UNCH	1.77	.25A
4500	----	.20B	.27A	----	.22	UNCH	.013	----	----	3	UNCH	1.07B	.20A
5020	----	.10B	.17A	----	.12	UNCH	.006	----	----	16	UNCH	.27B	.12A
5300	----	.05B	.15A	----	.07	UNCH	.004	----	62	2	UNCH	.15B	.10A
TOTAL													
APR27		(FUTURES SETT. 317.900 - 155.0)								3245 +	41		
2800	----	45.17B	42.77A	----	42.75 -	125	.813	----	----	1	UNCH	49.50B	27.02A
2860	----	40.40B	38.17A	----	38.10 -	122	.778	----	----	1	UNCH	44.97B	23.95A
2900	----	37.37B	35.27A	----	35.15 -	117	.751	----	----	1	UNCH	41.90B	21.45A
2920	----	35.87B	33.80A	----	33.72 -	115	.738	----	----	1	UNCH	40.52B	20.37A
2960	----	32.97B	31.02A	----	30.95 -	110	.709	----	----	1	UNCH	37.62B	18.35A
2980	----	31.60B	29.67A	----	29.60 -	110	.694	----	----	1	UNCH	36.25B	17.37A
3000	----	30.22B	28.40A	----	28.27 -	107	.679	----	----	303	UNCH	34.75B	16.45A
3020	----	28.85B	27.10A	----	27.00 -	105	.663	----	----	1	UNCH	33.52B	15.52A
3100	----	23.87B	22.45A	----	22.17 -	97	.597	----	----	260	UNCH	28.40B	12.27A
3140	----	21.77B	20.27A	----	19.97 -	92	.562	----	----	103	UNCH	26.40B	10.80A
3160	----	20.67B	19.20A	----	18.92 -	90	.544	----	----	2	UNCH	25.25B	10.10A
3200	----	18.55B	17.22A	----	16.92 -	85	.509	----	----	218	UNCH	24.87B	8.82A
3220	----	17.52B	16.22A	----	15.97 -	85	.491	----	----	6	UNCH	27.72B	8.22A
3240	----	16.55B	15.27A	----	15.07 -	80	.473	----	----	1	UNCH	28.27B	7.67A
3260	----	15.60B	14.40A	----	14.20 -	77	.455	----	----	8	UNCH	28.05B	7.15A
3280	----	14.57B	13.57A	----	13.35 -	75	.438	----	----	1	UNCH	26.85B	6.65A
3300	----	13.72B	12.75A	----	12.55 -	70	.420	----	----	134	UNCH	26.72B	6.20A
3320	----	12.87B	11.97A	----	11.77 -	67	.403	----	----	1	UNCH	28.50B	5.77A
3340	----	12.07B	11.25A	----	11.05 -	65	.386	----	----	3	UNCH	27.30B	5.37A
3360	----	11.35B	10.57A	----	10.35 -	60	.369	----	----	6	UNCH	26.10B	5.12A
3380	----	10.60B	9.90A	----	9.60 -	60	.352	----	----	6	UNCH	25.85B	4.77A
3400	----	9.95B	9.22A	----	9.05 -	55	.336	----	----	453	UNCH	27.40B	4.45A
3420	----	9.27B	8.67A	----	8.45 -	52	.320	----	----	4	UNCH	26.20B	4.12A
3440	----	8.62B	8.07A	----	7.87 -	50	.304	----	----	2	UNCH	25.45B	3.85A
3460	----	8.05B	7.55A	----	7.35 -	45	.289	----	----	13	UNCH	24.25B	3.60A
3480	----	7.47B	7.05A	----	6.82 -	45	.274	----	----	1	UNCH	23.12B	3.35A
3500	----	6.95B	6.57A	----	6.35 -	42	.259	----	----	117	UNCH	23.00	2.72
3520	----	6.47B	6.12A	----	5.92 -	37	.246	----	----	1	UNCH	20.90B	2.95A
3540	----	6.02B	5.70A	----	5.50 -	35	.232	----	----	12	UNCH	21.00	2.75A
3580	----	5.17B	5.00A	----	4.75 -	30	.207	----	----	2	UNCH	17.80B	2.45A
3600	----	4.82B	4.65A	----	4.40 -	30	.195	----	----	9	UNCH	16.82B	2.30A
3620	----	4.45B	4.30A	----	4.10 -	27	.184	----	----	4	UNCH	15.87B	2.05A
3640	----	4.12B	4.00A	----									

